



Plot No.C-5, Block- C, Main Kanjawala Road Rajiv Nagar, Delhi -110086

Mob.: 9910596777, 9810479889, 9350421421 E: dtrlinfo@gmail.com, W: www.deltatestinglab.com

TEST REPORT

B. R. Tyagi Senior Secondary School

Report No.

: DTRL/GEN/181218134

Date of Receipt: 18/12/2018

Sample Description :- Drinking Water WRI DIRL DIRL DIRL DIRL Location :- B. R. Tyagi Senior Secondary School, Budh Vihar"

S. No.	Test	Units	Test Method	Result	Requirement IS 10500:2012, Amendment-1		Conformity
					Acceptable Limit	Permissible Limit to the absence of alternate source	DING WARE DIRECTORS WITH DERI DIRECTORS
Physic	cal Parameters						
LI.OT	Colour DIRL DIR	Hazen Unit	IS 3025 (Pt-4):1983 (Reff. 2012)	< 5	5 Max.	DTR 15 Max.	Yes
2.	*Odour DIRL DIRL	DIRI- DIRI DIRI DIRI	IS 3025 (Pt-5):1983 (Reff. 2012)	Agreeable	Agreeable R	DIRA DIRE DIRE	DIRL DIRL
3.	*Taste	DTRL DTRL	IS 3025 (Pt-7):1984 (Reff. 2012)	Agreeable	Agreeable	Agreeable	DTRI Yes RL
4.	Turbidity	NTU	IS 3025 (Pt-10):1984 (Reff. 2012)	<1	1 Max.	DIRL 5 Max. DIRL	DIRLYes L
5.	pH IRL DTRL DIR	DTRL DTRL	IS 3025 (Pt-11):1983 (Reff. 2012)	7.0	6.50 - 8.50	No relaxation	Yes
6.	Total Dissolved Solids	mg/l	IS 3025 (Pt-16):1984 (Reff. 2012)	RL DIRLOWR	500 Max.	2000 Max.	Yes RI
Gene	ral Parameters	DIREDIRE	DER DER BEREIT	R. Dist. Orki.	DEPT DIRE DIFF.	ONDAL DIRECTER	13 FE 157 PE
7.	Chloride (as Cl)	mg/l	IS 3025 (Pt-32):1988 (Reff. 2009)	RL D74.97 TRU	250 Max.	DTR 1000 Max. TRE	DTRLYes RL DTRL DTRL
8.	Iron (as Fe)	mg/l	IS 3025 (Pt-53):2003 Reff. 2014	RL DIRL DIRL	0.3 Max.	No relaxation RIDIRL DIRL DIRL	DTRI Yes RL DTRL DTRL
9.	Total Hardness (as CaCO ₃)	mg/l	IS 3025 (Pt-21):2009 (Reff. 2014)	60.0	200 Max.	600 Max.	DIRL Yes RL
10.	Fluoride (as F)	mg/l	IS 3025 (Pt-60):2008 (Reff. 2013)	0.30	1.0 Max.	1.5 Max.	DTRL Yes RL
Bacte	riological Test	DTRI DTRI	DTRI-DTRI DTRI D	ERI DIRI DIRI	DTRI DTRI DTRI	DIRL DIRL DIRL	DIRL DIRL
11.1	*E.Coli/100ml (at 44.5°C)	DTRI- DTRL	IS 1622:1981	Absent	Absent	DTRL DTRL DTRL	DIRL DIRL
12.	*Coli form Organisms/100ml (at 37°C)	DTRL DTRL DTRL DTRL DTRL DTRL	IS 1622:1981 DIRL DIRL DIRL DIRL DIRL DIRL DIRL DIRL	RI DIRI DIRI	Absent DTRI	DTRL DTRL DTRL DTRL DTRL DTRL DTRL DTRL DTRL	DTRI Yes R

"The parameter marked with an * are not accredited by NABL"

Analysed By

Checked By

S. SHUKLA

- (1) The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
- (2) Total liability of our Lab is limited to the invoiced amount.
- (3) Samples will be destroyed after 90 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of Law and should not be page 1/1 used in any advertising media without our special permission in writing
- (5) Report refer to the sample submitted to us and not drawn by us unless mentioned otherwise.